

INK CARTRIDGE (CL) (H086083-00-00)

1. Identification of the substance/preparation and of the company/undertaking

1.1 Identification of the substance or preparation:

Product name : INK CARTRIDGE (CL) (H086083-00-00)
Synonyms : none
CAS No. : N.A.
EC index No. : N.A.
EINECS No. : N.A.
RTECS No. : N.A.
NFPA code : 1-0-0(*)
Molecular weight : N.A.
Formula : N.A.

1.2 Use of the substance/preparation:

- Toner

1.3 Company/undertaking identification:

NORITSU KOKI Co., Ltd.
 579-1 Umehara
 640-8550 Wakayama-shi Japan
 Tel: +81 73 454 03 09
 Fax: +81 73 454 46 18
 e-mail address: msds@nkc.noritsu.co.jp

1.4 Emergency telephone:

+32 14 58 45 45 (24h/24h)
 Information centre on dangerous goods (BIG)
 Technische Schoolstraat 43A, B-2440 Geel, Belgium

2. Hazards identification

- Not classified as dangerous in compliance with Directive 67/548/EEC and/or Directive 1999/45/EC

3. Composition/information on ingredients

| Hazardous ingredients | CAS No. | Conc. (%) | Hazards (R-phrases) | Hazard symbol |
|-----------------------|-------------------|-----------|------------------------|------------------|
| | EINECS/ELINCS No. | | | |
| glycerol | 56-81-5 | 30 | - (2) | - |
| | 200-289-5 | | | |

(1) For R-phrases in full: see heading 16

(2) Substance with a Community workplace exposure limit

(3) PBT-substance

4. First aid measures

4.1 After inhalation:

- Remove the victim into fresh air
 - Respiratory problems: consult a doctor/medical service

4.2 Skin contact:

- Wash with water and soap
 - Take victim to a doctor if irritation persists

4.3 Eye contact:

- Rinse with water
 - Take victim to an ophthalmologist if irritation persists

4.4 After ingestion:

- Rinse mouth with water
 - Do not induce vomiting
 - Consult a doctor/medical service if you feel unwell

Printing date : 27-1-2010
 Compiled by : Brandweerinformatiecentrum voor Gevaarlijke Stoffen vzw (BIG)
 Technische Schoolstraat 43 A, B-2440 Geel
 ☎ +32 14 58 45 47 http://www.big.be e-mail address: info@big.be

1/8

Date of issue : 27-1-2010 Revision : 27-1-2010
 Reference number : BIG\42816GB Revision number : 001
 Reason for revision : Reference to REACH regulation

INK CARTRIDGE (CL) (H086083-00-00)

5. Fire-fighting measures

- 5.1 Suitable extinguishing media:**
- all extinguishing media allowed
- 5.2 Unsuitable extinguishing media:**
- No data available
- 5.3 Special exposure hazards:**
- Not easily combustible
- On burning: release of toxic and corrosive gases/vapours e.g.: nitrous vapours, sulphur oxides, carbon monoxide - carbon dioxide
- 5.4 Instructions:**
- Dilute toxic gases with water spray
- 5.5 Special protective equipment for firefighters:**
- Heat/fire exposure: compressed air/oxygen apparatus
- Protective clothing

6. Accidental release measures

- 6.1 Personal precautions:**
See heading 8.2/13
- 6.2 Environmental precautions:**
- Contain leaking substance
- 6.3 Methods for cleaning up:**
- Take up liquid spill into inert absorbent material, e.g.: sand/earth
- Scoop absorbed substance into closing containers
- Clean contaminated surfaces with an excess of water
- Wash clothing and equipment after handling

7. Handling and storage

- 7.1 Handling:**
- Observe normal hygiene standards
Accidental release of the contents:
- Observe strict hygiene
- Clean contaminated clothing
- 7.2 Storage:**
- Keep container tightly closed
- Keep out of direct sunlight
- Meet the legal requirements
- Keep away from: heat sources, acids, bases, oxidizing agents
- | | | |
|--------------------------------|---------------------|------|
| Storage temperature | : -20/30 | °C |
| Quantity limits | : N.D. | kg |
| Storage life | : N.D. | days |
| Materials for packaging | : | |
| - suitable | : no data available | |
| - to avoid | : no data available | |
- 7.3 Specific use(s):**
- See information supplied by the manufacturer for the identified use(s)

INK CARTRIDGE (CL) (H086083-00-00)

8. Exposure controls/Personal protection

8.1 Exposure limit values:

Exposure is limited because of the form in which the product is placed on the market

8.1.1 Occupational exposure:

glycerol

| | | | | |
|--------------------|-------------|-------------------|---|-----|
| TLV-TWA | : 10 mist | mg/m ³ | | ppm |
| TLV-STEL | : - | mg/m ³ | | ppm |
| TLV-Ceiling | : | mg/m ³ | | ppm |
| WEL-I TEL | : 10 mist | mg/m ³ | - | ppm |
| WEL-STEL | : - | mg/m ³ | - | ppm |
| TRGS 900 | : | mg/m ³ | | ppm |
| MAK | : | mg/m ³ | | ppm |
| GWB NL-TGG 8 h | : 10 nevel | mg/m ³ | | |
| GWK NL-TGG 15 min. | : | mg/m ³ | | |
| Ceiling | : | mg/m ³ | | |
| VME-8 h | : 10 aéros. | mg/m ³ | - | ppm |
| VLE-15 min. | : - | mg/m ³ | - | ppm |
| GWBB-8 h | : 10 nevel | mg/m ³ | - | ppm |
| GWK-15 min. | : - | mg/m ³ | - | ppm |
| Momentary value | : | mg/m ³ | | ppm |
| EC | : | mg/m ³ | | ppm |
| EC-STEL | : | mg/m ³ | | ppm |

8.1.2 Sampling methods:

- Glycerin Mist (Particulates) NIOSH 600
- Glycerin Mist (Respirable and total dust) OSHA CSI

8.2 Exposure controls:

8.2.1 Occupational exposure controls:

- Accidental release of the contents:
- Work under local exhaust/ventilation

Personal protective equipment:

a) Respiratory protection:

- Not required for normal conditions of use
- Accidental release of the contents:
- Wear gas mask with filter type A if conc. in air > exposure limit

b) Hand protection:

- Accidental release of the contents: Gloves
- Suitable materials: No data available
- Breakthrough time: N.D.

c) Eye protection:

- Not required for normal conditions of use

d) Skin protection:

- Accidental release of the contents: Protective clothing
- Suitable materials: No data available

8.2.2 Environmental exposure controls: see headings 6.2, 6.3 and 13

INK CARTRIDGE (CL) (H086083-00-00)

9. Physical and chemical properties

9.1 General information:

Appearance (at 20°C) : Ink cartridge
Odour : The contents: odourless
Colour : N.D.

9.2 Important health, safety and environmental information:

pH value (at %) : 9.6
Boiling point/boiling range : N.D. °C
Flash point/flammability : > 100 °C
Explosion limits (explosive properties) : N.D. vol%
Oxidising properties :
Vapour pressure (at 20°C) : N.D. hPa
Vapour pressure (at 50°C) : N.D. hPa
Relative density (at 20°C) : 1.0
Water solubility : The contents are: miscible with water
Soluble in : N.D.
Relative vapour density : N.D.
Viscosity (at °C) : N.D. Pa.s
Partition coefficient n-octanol/water : N.D.
Evaporation rate :
ratio to butyl acetate : N.D.
ratio to ether : N.D.

9.3 Other information:

Melting point/melting range : < 0 °C
Auto-ignition temperature : N.D. °C
Saturation concentration : N.D. g/m³
Specific conductivity : N.D. pS/m

10. Stability and reactivity

10.1 Conditions to avoid:

- Stable under normal conditions

10.2 Materials to avoid:

- Keep away from: heat sources, acids, bases, oxidizing agents

10.3 Hazardous decomposition products:

- On burning: release of toxic and corrosive gases/vapours e.g.: nitrous vapours, sulphur oxides, carbon monoxide - carbon dioxide

11. Toxicological information

11.1 Acute toxicity:

| | | |
|---------------------|----------|----------|
| LD50 oral rat | : > 2500 | mg/kg |
| LD50 dermal rat | : > 2000 | mg/kg |
| LD50 dermal rabbit | : N.D. | mg/kg |
| LC50 inhalation rat | : N.D. | mg/l/4 h |
| LC50 inhalation rat | : N.D. | ppm/4 h |

11.2 Chronic toxicity:

| | |
|------------------------|--------------|
| EC carc. cat. | : not listed |
| EC muta. cat. | : not listed |
| EC repr. cat. | : not listed |
| Carcinogenicity (TLV) | : not listed |
| Carcinogenicity (MAC) | : not listed |
| Carcinogenicity (VME) | : not listed |
| Carcinogenicity (GWBB) | : not listed |
| Carcinogenicity (MAK) | : not listed |
| Mutagenicity (MAK) | : not listed |
| Teratogenicity (MAK) | : not listed |
| IARC classification | : not listed |

11.3 Routes of exposure:

Exposure is limited because of the form in which the product is placed on the market

11.4 Acute effects/symptoms:

The following symptoms may appear when the components are released:

- **AFTER INGESTION**
 - Slight irritation
- **AFTER EYE CONTACT**
 - Slight irritation

11.5 Chronic effects:

- Skin sensitization tests: negative
- Mutagenicity: AMES test negative

INK CARTRIDGE (CL) (H086083-00-00)

12. Ecological information

12.1 Ecotoxicity:

glycerol:

- LC50 (96 h) : 54000 mg/l (SALMO GAIIRDNERI/ ONCORHYNCHUS MYKISS)
- EC50 (24 h) : >10000 mg/l (DAPHNIA MAGNA)

- **Effect on waste water purification** : no data available

12.2 Mobility:

- **Volatile organic compounds (VOC):** N.D.%
- Miscible with water

For other physicochemical properties see heading 9

12.3 Persistence and degradability:

- **biodegradation BOD₅** : N.D. % ThOD
- **water** : N.D.
- **soil** : T ½: N.D. days

12.4 Bioaccumulative potential:

- **log P_{ow}** : N.D.
- **BCF** : N.D.

12.5 Results of PBT assessment:

- Not applicable, based on available data.

12.6 Other adverse effects:

- **WGK** : N.A.
- **Effect on the ozone layer** : Not dangerous for the ozone layer (1999/45/EC)
- **Greenhouse effect** : no data available

13. Disposal considerations

13.1 Provisions relating to waste:

- Waste material code (75/442/EEC, Council Decision 2001/118/EC, O.J. L47 of 16/2/2001): 08 03 13 (waste ink other than those mentioned in 08 03 12)
- LWCA (the Netherlands): KGA category 03

13.2 Disposal methods:

- Special waste (VLAREA, M.B. 30/4/2004)
- Refer to manufacturer/supplier for information on recovery/recycling
- Do not landfill
- Contains a component for which a prohibition exists against discharge into surface water

13.3 Packaging/Container:

- No available data

INK CARTRIDGE (CL) (H086083-00-00)

14. Transport information

- 14.1 Classification of the substance in compliance with UN Recommendations
UN number :
CLASS : -
SUB RISKS :
PACKING GROUP :
- 14.2 ADR (transport by road)
CLASS : Not subject
PACKING GROUP :
CLASSIFICATION CODE :
DANGER LABEL TANKS :
DANGER LABEL PACKAGES :
PROPER SHIPPING NAME :
- 14.3 RID (transport by rail)
CLASS : Not subject
PACKING GROUP :
CLASSIFICATION CODE :
DANGER LABEL TANKS :
DANGER LABEL PACKAGES :
PROPER SHIPPING NAME :
- 14.4 ADNR (transport by inland waterways)
CLASS : Not subject
PACKING GROUP :
CLASSIFICATION CODE :
DANGER LABEL TANKS :
DANGER LABEL PACKAGES :
- 14.5 IMDG (maritime transport)
CLASS : Not subject
SUB RISKS :
PACKING GROUP :
MFAG :
EMS :
MARINE POLLUTANT :
- 14.6 ICAO (air transport)
CLASS : Not subject
SUB RISKS :
PACKING GROUP :
PACKING INSTRUCTIONS PASSENGER AIRCRAFT :
PACKING INSTRUCTIONS CARGO AIRCRAFT :
- 14.7 Special precautions : Not restricted for any mode of international transport

15. Regulatory information

15.1 EU legislation:

Not classified as dangerous in compliance with Directive 67/548/EEC and/or Directive 1999/45/EC

15.2 National provisions:

The Netherlands:
Waterbezwaarlijkheid: N.B.

Germany:
WGK : N.A.

INK CARTRIDGE (CL) (H086083-00-00)

16. Other information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

N.A. = NOT APPLICABLE
N.D. = NOT DETERMINED
(*) = INTERNAL CLASSIFICATION (NFPA)

PBT-substances = persistent, bioaccumulative and toxic substances

Exposure limits:

TLV : Threshold Limit Value - ACGIH USA
WEL : Workplace Exposure Limits - United Kingdom
TRGS 900 : Technische Regel für Gefahrstoffe 900 (Arbeitsplatzgrenzwerte) - Germany
MAK : Maximale Arbeitsplatzkonzentrationen - Germany
MAC : Maximale aanvaarde concentratie - The Netherlands
VME : Valeurs limites de Moyenne d'Exposition - France
VLE : Valeurs limites d'Exposition à court terme - France
GWBB : Grenswaarde beroepsmatige blootstelling - Belgium
GWK : Grenswaarde kortstondige blootstelling - Belgium
EC : Indicative occupational exposure limit values - directive 2000/39/EC

I : Inhalable fraction = **T**: Total dust = **E**: Einatembarer Aerosolanteil
R : Respirable fraction = **A**: Alveolengängiger Aerosolanteil/Alveolar dust
C : Ceiling limit

| | | | | |
|------------|------------------|--------------|-------------------|------------|
| a: | aerosol | r: | rook/Rauch | (fume) |
| d: | damp (vapour) | st: | stof/Staub | (dust) |
| du: | dust | ve: | vezel | (fibre) |
| fa: | Faser (fibre) | va: | vapour | |
| fi: | fibre | om: | oil mist | |
| fu: | fume | on: | olienevel/Ölnebel | (oil mist) |
| p: | poussière (dust) | part: | particles | |

Chronic toxicity:

K : List of the carcinogenic substances and processes - The Netherlands