

Material Safety Data Sheet

LUBRICATION OIL (MSDS:H010935-00/H010936-00-00-NA-E)

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Trade name : Lubrication oil

Code : H010935-00/ H010936-00

Material uses : Chain lubricant

Supplier/ Manufacturer : Noritsu Precision Co., Ltd, 579-1, Umehara, Wakayama-shi, 640-8550, Japan

Phone: +81 73 456 3969 Fax: +81 73 456 3991

Email: msds@nkc.noritsu.co.jp

In case of emergency : CHEMTREC, U.S.: (800) 424-9300 International: (703) 527-3887

Section 2: HAZARDS IDENTIFICATION

Hazards Category

Reproductive Toxicity : Category 2
Hazardous to The Aquatic Environment(Acute) : Category 3
Hazardous to The Aquatic Environment(Chronic) : Category 3

The one without the description cannot be classified.

Allocation of Label Elements

Pictogram

Health Hazard



Signal Word

Warning

Hazard Statement

Suspected of damaging fertility or the unborn child

May cause harm to breast-fed children

Harmful to aquatic life

Harmful to aquatic life with long lasting effects

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients and Contents

Component name	CAS number	wt%
Synthetic oil	Trade secret	90 ~ 100
Mineral oil	Trade secret	1 ~ 5
2,6-Di-tert-butyl-p-cresol	128-37-0	< 1

SECTION 4: FIRST-AID MEASURES

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician if you feel unwell.

Skin

Wash with plenty of soap and water. Call a physician if you feel unwell.

Eye

Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

Ingestion

Rinse mouth. Do not induce vomiting. Call a physician.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Dry chemical, carbon dioxide (CO₂), and foam

Specific Fire Fighting

Must not use water to extinguish fires.

Quickly removed from the surrounding flammable.

The use of extinguishing agents specified.

Fire fighting is done from the windward.

On small fires use carbon dioxide (CO₂) or dry chemical.

On large fires use dry chemical or foam.

Sealed containers that are exposed to high temperatures over the water to cool.

Protection for Fire-fighter

Wear full body protective clothing with breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective equipments in case of operation.

Environmental Precautions

Avoid release to the environment.

Methods for Cleaning Up

Remove potential ignition source in vicinity as soon as possible.

Prepare extinguishing agent.

Prevent leakage by enclosing with nonflammables and collect into empty container by scoop or the like.

Absorbed to non-flammable dry sand, if a large amount of spill to prevent enclosed in embankment.

Spilled material is collected in a container that can be sealed, then remove to safe place.

Deposits, waste treatment is based on the local regulations.

Working from the windward, to evacuate people downwind.

SECTION 7: HANDLING AND STORAGE

Handling

Use in a well ventilated area.

Keep away from heat, spark and flames.

Use spark-proof tools and explosion-proof equipment.

After handling, wash well hands and face and rinse your mouth.

Facilities storing or utilizing this material should be equipped with an eye wash facility and a safety shower.

Leakage, overflow, to prevent scattering, we do not generate steam in vain.

In the handling area and deny unnecessary entry.

Resting place shall not bring contaminated protective equipment such as gloves.

Wear protective equipments when risk of exposure occurs.

To work in an enclosed area that you work with appropriate protective equipment with a local exhaust ventilation sufficient.

Precautions

Do not breathe vapor or mist.

Handling of the outdoors, as much as possible to work from the windward.

Handling Precautions for Safety

Avoid physical damage to containers.

Keep containers securely sealed when not in use.

Storage

Fire prohibited strictly.

Keep away from sources of ignition.

Store in a cool, dry, well-ventilated area away from incompatible substances.

Separate from oxidizing materials.

Store in a tightly closed container.

Safe containers and packaging materials

None in particular.

SECTION 8: EXPOSURE/PERSONAL PROTECTION

Engineering Controls

Handling equipment is used explosion-proof.

Ventilation fans and other electrical service must be non-sparking and have an explosion-proof design.

That the equipment and shall become hot, and the source of ignition in the vicinity of the location, such as handling not been placed.

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Exposure Limit Values

_xpcca.cc ra.a.cc	
Chemical name	ACGIH
Mineral oil	TWA 5mg/m3 (mist)
2,6-Di-tert-butyl-p-cresol	TWA 2mg/m3 (IFV)

Personal Protective Equipment

Respiratory Protection

Wear a gas mask for organic gas as required.

Skin Protection

Oil-resistant gloves

Eye Protection

Wear chemical worker's goggles.

Skin and body protection

Such as long-sleeved work clothes.

Hygiene measures

Do not eat, drink or smoke during work.

Replacement of the adsorbent, such as the mask is performed each time or use plans.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid Color Light yellow Odor Oil odor Not available рΗ Not available Boiling Point (°C) Melting Point (°C) Not available Flash point (°C) > 248 Auto-ignition Temperature (°C) Not available

Flammability or Explosive Limits

Lower : Not available Upper : Not available Vapor Pressure (KPa) : Not available Vapor Density : Not available

Relative density (g/cm3) : 0.84

Solubility : Insoluble in water Partition Coefficient: n-octanol/water : Not available Decomposition Temperature (°C) : Not available

SECTION 10: STABILITY AND REACTIVITY

Stability

Stable under normal temperatures and pressures.

Reactivity

No self-reactive

Conditions to Avoid

Heat, flames, ignition sources and incompatibles

Hazardous Decomposition Products

Carbon monoxide, carbon dioxide and other oxidized substances.

SECTION 11: TOXICOLOGICAL INFORMATION

Chemical name	Acute toxicity (oral)	Acute toxicity (dermal)	Acute toxicity (inhalation: gas)	Acute toxicity (inhalation: vapor)	Acute toxicity (inhalation: dust, mist)	Skin corrosion/irritation	Serious eye damage/eye irritation
Synthetic oil	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible
Mineral oil	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible
2,6-Di-tert-butyl- p-cresol	Not classified	Not classified	Not classified	Not classified	Classification not possible	Not classified	Category 2B

Chemical name	Respiratory/skin sensitizer	Germ cell mutagenicity	Carcinogenicity	Toxic to reproduction	Specific target organs/systemic toxicity following single exposure	Specific target organs/systemic toxicity following repeated exposure	Aspiration hazard
Synthetic oil	Respiratory sensitizer: Classification not possible; Skin sensitizer: Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible
Mineral oil	Respiratory sensitizer: Classification not possible; Skin sensitizer: Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible
2,6-Di-tert-butyl- p-cresol	Respiratory sensitizer: Classification not possible; Skin sensitizer: Classification not possible	Classification not possible	Classification not possible	Category 2	Category 1 (nervous system)	Category 2 (lung, liver)	Classification not possible

SECTION 12: ECOLOGICAL INFORMATION

Chemical name	Hazardous to the aquatic environment (Acute)	Hazardous to the aquatic environment (Chronic)
Synthetic oil	Classification not possible	Classification not possible
Mineral oil	Classification not possible	Classification not possible
2,6-Di-tert-butyl-p- cresol	Category1	Category1

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of contents/ container in accordance with local/ regional/ national/ international/ regulations.

SECTION 14: TRANSPORT INFORMATION

UN Class

Not regulated.

UN No.

Not regulated.

Packing Group

Not regulated.

SECTION 15: REGULATORY INFORMATION

Follow all regulations in your country.

SECTION 16: OTHER INFORMATION

References

JIS Z 7253

GHS data-base (NITE)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.